

## Product Specification White Cement

Chemical Analysis	
Element	Result
LOI	<4.5%
IR	<1.5%
MgO	<2%
SO <sub>3</sub>	<3%
Alkali Equivalent	<0.6
LSF	>0.9
C <sub>3</sub> S	>50
C <sub>2</sub> S	29±7
C <sub>3</sub> A	12.5±1
C <sub>4</sub> AF	<1.5%

Physical Analysis		
Element	Result	
Blaine (m <sup>2</sup> /Kg)	360 Avg	
Autoclave Expansion	<0.15	
Setting Time	Initial	>95
	Final	>135
Compressive Strength (MN/m <sup>2</sup> )	2 Days	>25
	28 Days	>54
Whiteness	>91	

Note: This a typical specification. For your order, we'll send the specific one.

Code: Arij- WOPC-WIT201